

Technical Data Sheet



ASSEMBLY MATERIALS

Product Type: Non Conductive Adhesive

Product Name: NCA 6-006

Description

NCA 6-006 is a snap cure, thermosetting, one-component, solvent-free non-conductive adhesive epoxy, designed for the connection of flip chips on lead frames and flexible substrates. NCA 6-006 has a hardener system, which includes a cationic curing agent.

Key Benefits

- Fast curing system
- High reliability
- High volume production possible

Compliant Products

- Conductive Adhesive: PC3200 and PC3600 Series
- Non-conductive Adhesive: NCA 5, NCA 9, NCA 11

Applications

- Dispensing

Physical Properties

Pot Life (days)	Curing Profile	Substrate and Components
5	8 sec / 170 °C 16 sec / 130 °C	Flex PCB, Lead frames and foils. Recommended surface: Ag, Ni/Au, Al, Cu and Ag-polymer
Adhesion (N/mm ²) <i>Standard: DIN EN 1465</i>	Weight Loss during Curing Process at 150 °C (%)	Glass Transition Temperature (°C)
Max. 10	Max. 0.1	Approx. 88

Cleaning Instructions

The uncured adhesive can be removed with Zestron HC and other Zestron and Vigon cleaning materials. The cleaned parts must be completely dry before installing them in the machine. Defective components can be removed by heating the cured adhesive joint with hot air above 250°C. The hot remaining adhesive can be removed with a sharp tool.

Adhesive Conditioning

- Remove adhesive from freezer: Before opening the package leave it for at least 2 hours at room temperature so that adhesive heats up
- Do not open jar/cartridge while adhesive is cold to prevent condensation
- Do not use faster defrost systems

Technical Data Sheet

Storage

- Store the adhesive in tightly-sealed containers and avoid exposure to high humidity and sunlight
- Store the cartridges with tip pointing downwards
- In cartridges: From the date of manufacture 12 months in a freezer at – 20 °C

Heraeus Electronics
Heraeus Deutschland GmbH & Co. KG
Heraeusstraße 12 – 14
63450 Hanau, Germany
www.heraeus-electronics.com

Americas
Phone +1 610 825 6050
electronics.americas@heraeus.com

China
Phone +86 21 3357 5457
electronics.china@heraeus.com

Asia Pacific
Phone +65 6571 7677
electronics.apac@heraeus.com

Europe, Middle East and Africa
Phone +49 6181 35 3069, +49 6181 35 3627
electronics.emea@heraeus.com