

Heraeus

Medium Pressure UV Lamps

For Disinfection, Oxidation and Photochemical Processes

UV radiation, at wavelengths below 300nm, has an intensive germicidal effect. Micro-organisms such as viruses, bacteria, yeasts and spores are effectively destroyed, without the addition of chemicals.

The energy of UV radiation is sufficient to dissociate chemical compounds or to achieve molecular re-structuring. These reactions are used for the synthesis of organic materials as well as for oxidation processes and the decomposition of organic compounds in water purification.

Medium Pressure UV Lamps

have a broad band emission in the UV- and visible light spectral range. Their strong UV radiation flux results in high penetration depth and efficient disinfection. This allows the design of compact UV disinfection plants. Their high UV intensity also makes them particularly suitable for photochemical processes. The first mercury medium pressure UV lamps were developed at Heraeus in 1904.

Lamps for Specific Applications

By varying the gas filling, doping and the quartz material, the radiation flux and the spectrum of UV lamps can be matched to suit specific applications. This allows lamp efficiency to be optimised for disinfection, oxidation or photochemistry.

Medium Pressure UV Lamps from Heraeus Noblelight

■ DQ lamps: Medium pressure UV lamps, spectral lines from 200nm to 600nm, high radiation output in the UVC spectrum, powerful disinfection action.

■ QC lamps: Compact medium pressure UV lamps with increased output, compact design, good germicidal and oxidation action.

■ Doped lamps: By means of doping materials, the spectra of the DQ and QC lamps can be changed or additional spectral lines can be produced.

■ Lamps with roll-seal: DQ and QC lamps with roll-seal offer greater stability when operating under high mechanical stress.

Heraeus Noblelight



Different ceramic bases for medium pressure UV lamps. Further models available on request.



DQ Lamp, 400W, ceramic base and Teflon leads, pinch-seal



DQ Lamp: power range 2-10kW, plug-in, metal pin on ceramic base, roll-seal



QC Lamp: power range 1-30kW, no base, bare leads, pinch-seal



Power supplies are offered to match the UV lamps.


Heraeus Noblelight offers the complete **UV** technology

- Low pressure UVC lamps
- Medium pressure UV lamps
- Excimer UV lamps
- Power supplies

We also offer a wide range of standard models as replacement lamps. Custombuilt lamps are designed in close co-operation with customers.

Heraeus Noblelight is the preferred partner of companies producing UV Systems for the disinfection of water, air and surfaces as well as for photochemistry and photooxidation.

We are available to provide advice, so please contact us.




DQ Lamp: power range 1-10kW, standard base and lead, reflector-coated ends, pinch- seal

1,6 1,4 1,2

0,8

pectral irradiance [arbitrary units]

Examples of DQ- and QC-lamps in different designs, with different types of bases and leads. Further designs available on request.



Typical spectrum of QC lamps

Comparative Data of DQ- and QC-Lamps

	DQ-Lamps	QC-Lamps
Principal Application	Disinfection	Disinfection and Oxidation
Effective Spectral Range	200 – 300nm	200 – 300nm
Specific Electrical Power	80 - 120W/cm	120 - 250W/cm
Specific Radiation Flux UVC	12 - 18W/cm	18 - 40W/cm
Power Range	0.5 – 15kW	1 – 60kW
Dimensions/Arc Length	5 – 150cm	7 – 200cm
Tube Diameter	22 – 28mm	19 – 45mm
Surface Temperature	600 – 900°C	800 – 900 °C

We reserve the right to change the illustrations and technical data provided in this leaflet.

Printed in Germany HNG - B 114 E 2C 08/05/M+T

50

Wavlength [nm]

650 700 750

Heraeus Noblelight GmbH P.O.Box 15 63 D-63405 Hanau Germany Phone +49 (6181) 35-99 25 Telefax +49 (6181) 35-99 26 E-Mai E-Mail hng-disinfection@heraeus.com www.heraeus-noblelight.com





Reg. No. 39254