



XRF Platinum Program for Linn



XRF Crucibles suitable for Linn

Diameter internal		Height (H)	Base thickness (s)	Weight approx.	Heraeus drawing
top (OD)	bottom (UD)				
mm	mm	mm	mm	g	
35	20	48	0,5	35	80623538



Dispersion Hardened (DPH) Alloy


Through a special process, Heraeus has created a Dispersion Hardened (DPH) alloy.

The inclusion of finely dispersed zirconia offers an economical way to increase the mechanical strength of the product resulting in longer service times.

Engraving possibilities




For easier tracking of your platinum products in the lab Heraeus offers different engraving possibilities.



XRF Casting dishes suitable for Linn (square version)

Diameter internal		Flange Length (FL)	Height (H)	Base thickness (s)	Weight approx.	Heraeus drawing
top (OD)	bottom (UD)					
mm	mm	mm	mm	mm	g	
31	29	41	3	0,8	27	80623078
31	29	41	3	1,0	34	80623078
34	32	41	3	0,8	31	80623092
34	32	41	3	1,0	38	80623092
36	34	51	3	0,8	45	80623094
36	34	51	3	1,0	58	80623094
41	39	51	3	0,8	45	80623096
41	39	51	3	1,0	58	80623096



Europe

Heraeus Deutschland GmbH & Co. KG

Heraeus Performance Products
 Heraeusstr. 12-14
 63450 Hanau, Germany
 Phone +49 6181.35-3740
 Fax +49 6181.35-8620
 heraeus-platinum-labware@heraeus.com
 www.pt-labware.de

United States of America

Heraeus Precious Metals

North America Conshohocken LLC
 Functional Materials
 24 Union Hill Road
 W. Conshohocken, PA 12-428-2736, USA
 Phone +1 484 391 2527
 Fax +1 610 825 7061
 heraeus-platinum-labware@heraeus.com
 www.pt-labware.com